

Page 1/11

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.12.2019

Version number 2

Revision: 10.12.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · Date of compilation: 26.10.2009 · 1.1 Product identifier · Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning • Article number(s): 9006.0153 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the preparation: Alkaline cleaner / detergent · 1.3 Details of the supplier of the safety data sheet · Manufacturer / Supplier: **RATIONAL AG** Tel.: +49 8191 327-2563 Siegfried-Meister-Straße 1 Fax: +49 8191 327-72 2563 86899 Landsberg am Lech Germany · E-mail address of the competent person responsible for the Safety Data Sheet: reinigung@rational-online.com · Informing department: Product management · 1.4 Emergency telephone number: Hotline: +49 (0) 6132-84463

SECTION 2: Hazards identification

 \cdot 2.1 Classification of the substance or mixture

 \cdot Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

• **Hazard-determining components of labelling:** Potassium hydroxide

(Contd. on page 2)

Printing date 10.12.2019

Version number 2

Revision: 10.12.2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

	(Contd. of page 1)
Amines, C12-14	1 (even numbered)-alkyldimethyl, N-oxides
 Hazard stateme 	nts
H290 May be co	prrosive to metals.
H314 Causes se	vere skin burns and eye damage.
· Precautionary s	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P3	331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
· 2.3 Other hazar	ds
· Results of PBT a	and vPvB assessment
· PBT: Not applica	able.
• vPvB: Not applie	cable.

SECTION 3: Composition/information on ingredients

\cdot 3.2 Chemical characterisation: Mixtures

 \cdot **Description:** Aqueous solution

CAS: 1310-58-3	Potassium hydroxide	≥5-≤	10%
EINECS: 215-181-3 Index number: 019-002-00-8	🕎 Met. Corr.1, H290; Skin Corr. 1A, H314; 🕦 Acute Tox. 4, H302		
EC number: 931-292-6	Amines, C12-14 (even numbered)-alkyldimethyl, N- oxides	≥1-<	2.5%
	Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315		
CAS: 70592-80-2	Amines, C10-16-alkyldimethyl, N-oxides	≥0.25	-<1%
EINECS: 274-687-2	Eye Dam. 1, H318; Aquatic Acute 1, H400; Skin Irrit. 2, H315		
· Additional information: For the	e wording of the listed hazard phrases refer to section 16		
· Ingredients according to Regu	lation (EC) No 648/2004:		
non-ionic surfactants, amphote	eric surfactants		<5%

(Contd. on page 3)

Printing date 10.12.2019

Version number 2

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 2)

SECTION 4: First aid measur	es

 \cdot 4.1 Description of first aid measures

· General information:

Personal protection for the person providing first aid.

Immediately remove any clothing contaminated by the product.

· After inhalation:

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact:

Instantly wash with water and soap and rinse thoroughly.

Immediate medical treatment necessary. Failure to treat burns can prevent wounds from healing.

· After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do.

Use eye protection.

Call a doctor immediately.

· After swallowing:

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

- Do not induce vomiting Danger of perforation!
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Carbon dioxide (CO₂), extinguishing powder or water spray/fog. Fight larger fires with water spray/ fog or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents none
- \cdot 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire: Nitrogen oxides (NOx)

Sulphur oxides (SOx)

Carbon monoxide (CO) and Carbon dioxide (CO₂)

- · 5.3 Advice for firefighters
- \cdot **Protective equipment:** Wear self-contained breathing apparatus.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

• **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

(Contd. on page 4)

Printing date 10.12.2019

Version number 2

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 3) Avoid contact with skin and eyes. Use breathing protection against the effects of fumes/dust/aerosol. · 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water. Dilute with much water. · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Send for recovery or disposal in suitable containers. Dispose of the material collected according to regulations. 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal. **SECTION 7: Handling and storage** · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Keep containers tightly sealed. Prevent formation of aerosols. Do not inhale aerosols. Avoid skin and eye contact under any circumstances. · Information about protection against explosions and fires: No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage · Requirements to be met by storerooms and containers: Store in the original container.

Observe all local and national regulations for storage of water polluting products.

• Information about storage in one common storage facility: Store away from foodstuffs.

- Further information about storage conditions:
- Keep container tightly sealed.

Store in a locked cabinet and out of the reach of children.

- Store and transport upright.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameters

 \cdot Components with critical values that require monitoring at the workplace:

1310-58-3 Potassium hydroxide

WEL (Great Britain) Short-term value: 2 mg/m³

· Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 5)

Printing date 10.12.2019

Version number 2

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 4) · 8.2 Exposure controls · Personal protective equipment · General protective and hygienic measures Keep away from foodstuffs, beverages and food. Instantly remove any contaminated garments. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. Use skin protection cream for preventive skin protection. Wash hands during breaks and at the end of the work. Do not eat, drink or smoke while working. • Breathing equipment: Use breathing protection when aerosol or mist is formed. · Recommended filter device for short term use: Filter type: A2 · Protection of hands: Protective gloves To avoid skin problems reduce the wearing of gloves to the required minimum. Check the permeability prior to each renewed use of the glove. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Material of gloves Nitrile rubber - NBR Recommended thickness of the material: ≥ 0.11 mm e.g. KCL Dermatril® 740 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material Penetration time: \geq 8 hours The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed safety glasses · Body protection: Protective work clothing Body protection must be chosen depending on activity and possible exposure. · Limitation and supervision of exposure into the environment Do not allow to enter drainage system, surface or ground water. **SECTION 9: Physical and chemical properties** · 9.1 Information on basic physical and chemical properties General Information · Appearance: Form: liquid Colour: red · Smell: characteristic

(Contd. on page 6)

GR

Printing date 10.12.2019

Version number 2

Revision: 10.12.2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

	(Contd. of pag
Odour threshold:	not determined
pH-value (10 g∕l) at 20 °C:	11.9
Change in condition	
Melting point/freezing point:	not determined
Initial boiling point and boiling range	:: ~ 100 °C
Flash point:	not applicable
Inflammability (solid, gaseous)	Not applicable.
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Critical values for explosion:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	not classified as oxidising
Vapor pressure:	Not determined.
Density at 20 °C:	1.11 g/cm ³
Relative density	Not determined.
Vapour density (AIR = 1):	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	fully miscible
Partition coefficient: n-octanol/water	Not determined.
Viscosity:	
dynamic:	not determined
kinematic:	not determined
Organic solvents:	0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- Corrosive action on metals
- Strong exothermic reaction with acids.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:
- Strong oxidizing agents

(Contd. on page 7)

GB

Printing date 10.12.2019

Version number 2

Revision: 10.12.2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

Strong acids

(Contd. of page 6)

- · 10.6 Hazardous decomposition products:
- Nitrogen oxides (NOx)
- Sulphur oxides (SOx)
- Carbon monoxide (CO) and Carbon dioxide (CO₂)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

1310-58-3 Potassium hydroxide

Oral LD50 284 mg/kg (rat)

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

Oral LD50 1064 mg/kg (rat)

Dermal LD50 > 2000 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- \cdot Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- The product shows the following dangers according to the calculation method of Regulation (EC) No. 1272/2008 (CLP/GHS):

Skin corr. 1A

Eye Dam. 1

- \cdot CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- According to present knowledge no CMR-effects known.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- \cdot STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

1310-58-3 Potassium hydroxide

LC50/96 h 80 mg/l (gambusia affinis)

Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

LC50/96 h 3.46 mg/l (fis)

(Contd. on page 8)

Printing date 10.12.2019

Version number 2

Revision: 10.12.2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

	(Contd. of page
EC50	3.1 mg/l (daphnia)
IC50	0.143 mg/l (seagrass)
EC50/72 h	n 0.266 mg/l (algae)
NOEC	0.067 mg/l (seagrass)
70592-80-	2 Amines, C10-16-alkyldimethyl, N-oxides
LC50/96 h	n 1.01 mg/l (daphnia)
	tence and degradability No further relevant information available.
	cumulative potential No further relevant information available.
	ity in soil No further relevant information available.
	ecological information:
· General no	
	each sewage water or drainage ditch undiluted or unneutralised.
	f bigger amounts into drains or the aquatic environment may lead to increased pH-values
	value harms aquatic organisms. In the dilution of the use-level the pH-value is considerat
) that after the use of the product the aqueous waste, emptied into drains, is only low
water-dang	
	ant(s) contained in this preparation complies(comply) with the biodegradability criteria as
	n Regulation (EC) N° 648/2004 on detergents. Data to support this assertion are held at
	I of the competent authorities of the Member States and will be made available to them,
their direct	request or at the request of a detergent manufacturer.
	rd class 1 (Self-assessment): slightly hazardous for water
· 12.5 Resul	rd class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment
• 12.5 Resul • PBT: Not a	rd class 1 (Self-assessment): slightly hazardous for water t s of PBT and vPvB assessment pplicable.
• 12.5 Resul • PBT: Not a • vPvB: Not a	rd class 1 (Self-assessment): slightly hazardous for water t s of PBT and vPvB assessment pplicable. applicable.
• 12.5 Resul • PBT: Not a • vPvB: Not a	rd class 1 (Self-assessment): slightly hazardous for water t s of PBT and vPvB assessment pplicable.
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other 	rd class 1 (Self-assessment): slightly hazardous for water t s of PBT and vPvB assessment pplicable. applicable.
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other 	ard class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment pplicable. applicable. • adverse effects No further relevant information available.
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other 	ard class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment opplicable. applicable. adverse effects No further relevant information available. 13: Disposal considerations e treatment methods
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other SECTION 13.1 Waste Recommer 	ard class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment opplicable. applicable. adverse effects No further relevant information available. 13: Disposal considerations e treatment methods
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other SECTION 13.1 Waste Recommer 	ard class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment pplicable. applicable. adverse effects No further relevant information available. 13: Disposal considerations e treatment methods adation
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other SECTION 13.1 Waster Recommendation Must not be system. 	and class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment pplicable. adverse effects No further relevant information available. 13: Disposal considerations te treatment methods adation e disposed of together with household garbage. Do not allow product to reach sewage
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other SECTION 13.1 Waster Recommer Must not be system. Disposal m 	ard class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment pplicable. applicable. adverse effects No further relevant information available. 13: Disposal considerations e treatment methods adation
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other SECTION 13.1 Waste Recommer Must not b system. Disposal m European v 	And class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment pplicable. applicable. adverse effects No further relevant information available. 13: Disposal considerations te treatment methods adation e disposed of together with household garbage. Do not allow product to reach sewage ust be made according to official regulations.
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other SECTION 13.1 Waste Recommer Must not b system. Disposal m European v 	ard class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment pplicable. applicable. adverse effects No further relevant information available. 13: Disposal considerations treatment methods adation e disposed of together with household garbage. Do not allow product to reach sewage ust be made according to official regulations. waste catalogue: osal key numbers from EWC have to be assigned depending on origin and processing.
 12.5 Result PBT: Not a vPvB: Not a 12.6 Other SECTION 13.1 Waste Recommer Must not b system. Disposal m European v Waste disp Uncleaned 	ard class 1 (Self-assessment): slightly hazardous for water ts of PBT and vPvB assessment pplicable. applicable. adverse effects No further relevant information available. 13: Disposal considerations treatment methods adation e disposed of together with household garbage. Do not allow product to reach sewage ust be made according to official regulations. waste catalogue: osal key numbers from EWC have to be assigned depending on origin and processing.

SECTION 14: Transport information

· 14.1 UN-Number

· ADR, IMDG, IATA

UN1814

(Contd. on page 9)

GB –

Printing date 10.12.2019

Version number 2

Revision: 10.12.2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning (Contd. of page 8) · 14.2 UN proper shipping name **UN 1814 POTASSIUM HYDROXIDE SOLUTION** · ADR · IMDG, IATA POTASSIUM HYDROXIDE SOLUTION • 14.3 Transport hazard class(es) · ADR · Class 8 (C5) Corrosive substances. · Label 8 · IMDG, IATA · Class 8 Corrosive substances. · Label 8 · 14.4 Packing group · ADR, IMDG, IATA Ш • 14.5 Environmental hazards: · Marine pollutant: NO · 14.6 Special precautions for user Warning: Corrosive substances. · Kemler Number: 80 F-A,S-B · EMS Number: Alkalis · Segregation groups · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ): 1L · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category: 2 · Tunnel restriction code: Е ·IMDG 1L · Limited quantities (LQ) · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml (Contd. on page 10)

Printing date 10.12.2019

Version number 2

Revision: 10.12.2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 9)

· UN "Model Regulation":

UN1814, POTASSIUM HYDROXIDE SOLUTION, 8, II

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations

• Information about limitation of use: Employment restrictions concerning young persons must be observed.

- Decree to be applied in case of technical fault: Directive 2012/18/EU does not apply.
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Other regulations, limitations and prohibitive regulations

Observe restrictions on the marketing and use according to Annex XVII of Regulation (EC) No 1907/2006.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Reasons for changes:

The Material Safety Data Sheet has been revised. Changes in the respective chapters are characterized in the left side edge by *.

· Relevant phrases

The(se) H-phrase(s) are those of the ingredient(s) and do(es) not necessarily represent the classification of the product.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS:

C.S.B. GmbH Phone: +49 - 2151 - 652086-0 Düsseldorfer Str. 113 Fax: +49 - 2151 - 652086-9 47809 Krefeld / Germany

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

⁻ GB

Printing date 10.12.2019

Version number 2

Revision: 10.12.2019

Trade name: RATIONAL Grill cleaner for RATIONAL CleanJet® and for manual cleaning

(Contd. of page 10) ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 * *** Data compared to the previous version altered.**